

SHIRTS

SHIRTS



RASCO FR LIGHTWEIGHT SHIRT

Sizes: M - 3XL, MT - 5XLT

Colors: Khaki, Work Blue, Navy, Red, Blue

ASTM1506, NFPA2112 CGSB155.20, NFPA 70E HRC2, ATPV 9.8

RA-FR1303

Without Striping: With Striping:

\$80 \$105

Certified NFPA 2112-19, 70E by UL



RASCO FR HI-VIS UNIFORM SHIRT

Sizes : S - 3XL, MT - 3XLT Colors : Hi-Vis Orange

CSA-Z96-15 Class 2 Level 2 ATPV 8.6 cal/cm2, CAT 2 NFPA 2112, NFPA 70E 2015 CSA Z462, CGSB 155.20, HRC2

RA-FR65050H

\$135

Certified NFPA 2112-19, 70E by UL



RASCO FR PLAID WORKSHIRT

Sizes: M - 3XL, MT - 3XLT

Colors: Blue Plaid

NFPA 70E, NFPA 2112, ASTM F1506 HRC 2, ATPV 10, CSA Z462, CGSB 155.20

RA-FR0824BL

Without Striping: With Striping:

\$80 \$10

Certified NFPA 2112-19, 70E by Ut





Sizes: S-3XL

ATPV 11 CAL/CM2 NFPA 70E 2015, OSHA 1910-269, CSA Z462-15

RA-FR03010H

\$115

70E by UL



SHIRTS

SHIRTS





RASCO FR Snap Button Uniform Shirt

Sizes: M-3XL Colors: Grey, Khaki NFPA 70E, NFPA 2112 ASTM F1506-2010A HRC 2

RA-FR1003GY

Without Striping: With Striping:

\$85

ATPV 8

\$110

Certified NFPA 2112, 70E by UL



Sizes: S-5XL

Colors : Grey, Khaki, Black, Work Blue, Red, Navy

100% FR Cotton NFPA 70E, NFPA 2112, ASTM F1506 ATPV 10, HRC 2

RA-FR0101WB

Without Striping: With Striping:

\$60

\$85

Certified NFPA 2112-19, 70E by UL

RASCO FR DH UNIFORM SHIRT

Sizes: M - 5XLT Colors: Royal Blue

ATPV 8.0. CAT 2 NFPA 2112-2018

RA-FR1330RB

Without Striping: With Striping:

\$65

SALE!

Certified NFPA 2112-19, 70E by UL

Colors: Red/Black, Blue/Black HRC 2, NFPA 70E, ASTM F1506, NFPA 2112 CGSB 155.20, ATPV 10, CSA Z462

RA-FR0824RD/BK

Without Striping: With Striping:

\$105

Certified NFPA 2112-19, 70E by UL



HOODIES



RASCO FR PULLOVER HOODIE WITH REFLECTIVE TRIM

Sizes: S-3XL

Colors: Hi-Vis Orange

ATPV 9.1 CAL/CM2 NFPA 2112, NFPA 70E 2015, CSA Z462-15 CSA Z96-15 Class 2 Level 2

OSHA 1910-269 RA-FR22190H



RASCO FR SAFETY ZIP FRONT HOODIE WITH DETACHABLE HOOD

Sizes: S-3XL

Colors: Hi-Vis Orange

ATPV 25, CAT 3 NFPA 2112, NFPA 70E ASTM F1506, CGSB 155.20 ANSI/SEA 107-2015, CSA Z96-15 OSHA 1910.269(I)(6)(III), CSA Z462

RA-FR71190H

Certified NFPA 2112-19, 70E by UL



PIONEER FR HOODIE WITH DETACHABLE HOOD

Sizes: XS - 7XL Colors: Black

CSA Z462-15, ASTM F1506-10a, NFPA 70E ATPV 23 cal/cm2 HRC 2

J-337

\$120



RASCO FR ZIP-UP HOODIE

Sizes: S-5XL

Colors: Navy, Black, Gray

ATPV 17 HRC 2 NFPA 70E, NFPA2112-2018 CSA Z462, CGSB 155.20

RA-FR7102BK

Certified NFPA 2112-19, 70E by UL



PIONEER FR HI-VIS HOODIE WITH **DETACHABLE HOOD**

Sizes: XS - 7XL

Colors: Black Striped, Orange Striped

CSA Z96-15 Class 1 Level 2 and Class 1 Level FR CSA Z462-15, ASTM F1506-10a, NFPA 70E ANSI/ISEA 107-15 Class 1 Type O ATPV 23 cal/cm2, HRC 2

StarTech™ FR reflective tape

J-337SF

\$160



RASCO FR PULLOVER HOODIE

Sizes: S-5XL Colors: Navy, Black

NFPA 2112, NFPA 70E ASTM F1506 HRC 2. APTV 17

RA-FR2102NV

Certified NFPA 2112-19, 70E by U



PANTS



IFR ULTRASOFT® FR 90Z. DELUXE CARGO PANTS

Waist Sizes: 28" - 48" Lengths: 30" - 36" Colors: Navy

NFPA 70E, NFPA 2112 ASTM F1506, OSHA 1910.269, CSA 462 HRC2, ATPV 12.4

IFR-UPN611

\$110



RASCO FR DENIM PANTS

Waist Sizes: 30" - 54" Lengths: 30" - 36" Colors: Denim

Pre-washed 11.5 oz FR denim ATPV 20 cal/cm2 HRC2

RA-FR4522DN

\$75-\$80

Certified NFPA 2112-19, 70E by UL



IFR ULTRASOFT® FR 70Z. DELUXE CARGO PANTS

Waist Sizes: 28" - 48" Lengths: 30" - 36" Colors: Khaki

NFPA 70E, NFPA 2112 ASTM F1506, OSHA 1910.269, CSA 462 CAT 2, ATPV 8.7

IFR-UPK612

\$110



RASCO FR DUCK PANTS

Waist Sizes: 30" - 58" Lengths: 30" - 36" Colors: Brown, Black

Pre-washed 10 oz FR duck ASTM 1506, NFPA 2112 CGSB 155.20 HRC2, ATPV 13 cal/cm2

RA-FR4507BN

\$85-\$95

Certified NFPA 2112-19, 70E by UL



RASCO FR FIELD PANTS WITH REFLECTIVE TRIM

Waist Sizes: 30" x 52" Lengths: 30" - 36" Colors: Navy

HRC 2, ASTM1506 NFPA2112, NFPA70E-2015 OSHA, CSA

RA-FR4403

\$90

Certified NFPA 2112-19, 70E by UL



RASCO FR RELAXED FIT DENIM JEANS

Waist Sizes: 30" - 44" Lengths: 30" - 36" Colors: Denim

Pre-washed 11.5 oz FR denim CSA Z462, NFPA 2112 NFPA 70E, CGSB 155.20 ATPV 15, HRC 2

RA-FR4722

\$95

Certified NFPA 2112-19, 70E by UL



RAINGEAR

RAINGEAR



PIONEER FR PU STRETCH LONG **RAIN JACKET**

Sizes: XS - 5XI

Colors: Orange, Yellow

CSA Z96-15 Class 3 Level 2 and Class 3 Level FR ANSI/ISEA 107-15 Class 3 Type P and R

J-5896

\$125



PIONEER FR RAIN JACKET

Sizes: S-4XL

Colors: Hi-Vis Orange CGSB 155.20.2000 Type 3 CSA Z95-15 Class 2 Level 2

ANSI 107-2015

J-576J \$65



PIONEER FR PU STRETCH RAIN **JACKET**

Sizes: XS-7XL

Colors: Orange, Yellow, Black

Yellow (5892) / Orange (5894) : CSA Z96-15 Class 2 Level 2 and Class 2 Level FR (becomes Class 3 when worn with FR hi-viz pant featuring

reflective leg bands) ANSI/ISEA 107-15 Class 3 Type P and R

Black (5894BK)

CSA Z96-15 Class 1 Level 2 and Class 1 Level FR

ANSI/ISEA 107-15 Class 1 Type O

J-5892

\$100



PIONEER FR PU/COTTON RAIN JACKET

Sizes: XS - 5XL

Colors: Hi-Vis Yellow, Hi-Vis Orange

FR and ARC Flash PU on FR and ARC flash Cotton Meets CGSB 155.20-2017 Rainwear Standard Average Thermal Protective Performance (TPP)

value: 8.9 cal/cm²

Meets ASTM F1891-19 for Arc Flash tested as per

ASTM F1959/1959M-14

APTV 10 cal/cm² and EBT 24 cal/cm²

CSA Z96-15 Class 2 Level 2 and Class 2 Level FR and

ANSI/ISEA 107-20 Class 3 Type P and R

J-5881

\$245



PIONEER FR PU STRETCH HI-VIS **RAIN BIB OVERALLS**

Sizes: XS - 7XL

Colors: Orange, Yellow, Black

CSA Z96-15 Class 3 Level 2 Class 3 Level FR when worn with CSA Class 2 Level 2 and Class 2 Level FR top featuring reflective arm bands and ANSI/ISEA 107-15 Class E Supplemental Type

J-5893



PIONEER FR PU/COTTON RAIN BIBS

Sizes: XS - 5XL

Colors: Hi-Vis Yellow, Hi-Vis Orange

FR and ARC Flash PU on FR and ARC flash Cotton Meets CGSB 155.20-2017 Rainwear Standard Average Thermal Protective Performance (TPP) value:

Meets ASTM F1891-19 for Arc Flash tested as per ASTM F1959/1959M-14

APTV 10 cal/cm² and EBT 24 cal/cm² CSA Z96-15 Class 2 Level 2 and Class 2 Level FR and

ANSI/ISEA 107-20 Class 3 Type P and R

J-5882



COVERALLS

COVERALLS



RASCO FR HI-VIS PREMIUM COVERALLS

Sizes: 36 - 62, 42T - 62T

Colors: Red, Grey, Royal Blue, Navy

7oz. Westex UltraSoft® 88% Cotton 12% High Tenacity Nylon NFPA 70E, NFPA 2112

RA-FR3305

\$140-\$150

ATPV 8.7 CAT 2, HRC 2



IFR FR HI-VIS ULTRASOFT® FR 9 OZ. **DELUXE COVERALLS**

Sizes: 34 - 70, 34T - 70T Colors: Red, Royal Blue

9 oz. – 88% Cotton, 12% high tenacity nylon from

NFPA 2112, NFPA 70E, CSA Z462, ASTM F1506, OSHA 1910.269 HRC2, ATPV 12.4

IFR-US109

\$145-\$160



RASCO FR HI-VIS PREMIUM COVERALLS

Sizes: 36 - 62, 42T - 62T Colors: Hi-Vis Orange CSA Z96-15 - Class 3 Level 2 NFPA 2112, NFPA 70E ASTM F1506, HRC 2 ATPV 8.6

RA-FR80050H

\$185





Sizes: 36 - 62, 42T - 62T

ATPV 8.9, CAT 2 NFPA 70E, NFPA 2112 ANSI 107 Class 1 Type 0

RA-FR3330

SALE!



VESTS



IFR ULTRASOFT® FR DUCK BIB OVERALLS

Sizes: S – 4XLT Colors: Carmel Duck NFPA 2112, NFPA 70E CGSB 155.20, ASTM F1506 CSA Z462, OSHA 1910.269 ATPV 15, CAT 2

IFR-3122 \$155



RASCO FR INSULATED VEST

Sizes: S-3XL

Colors: Brown Duck, Black Duck

NFPA70E, NFPA2112 HRC3, ATPV 38

RA-FR1707BN

Without Striping:

iping: With Striping: \$140



RASCO FR HI-VIS UNLINED BIB OVERALLS

Sizes: S - 3XL, MT - 3XLT Colors: Hi-Vis Orange HRC 2. ASTM F1506

HRC 2, ASTM F1506 NFPA 2112 & NFPA 70E 2015 OSHA 1910.269 CSA Z462-15

RA-FR66060H

\$200

Certified NFPA 2112-19, 70E by UL



FORCEFIELD FR COTTON DUCK SAFETY VEST

Sizes : S - 3XL Colors : Black

CSA Z96-15 Class 1 Level FR CGSB 155.20-2000, NFPA 2112 HRC 2- APTV 12 cal/cm

FF-022-TVFR158BK

\$65



RASCO FR ULTRASOFT® BIB OVERALLS

Sizes: S - 3XL, MT - 3XLT Colors: Grey, Red, Royal Blue

HRC 2, ASTM F1506 NFPA 2112 & NFPA 70E-2015 ANSI/ISEA 107-15 CSA Z96-15, ASTM F2302-08 ATPV 8.7

RA-FR2505

\$145

Certified NFPA 2112-19, 70E by UL



PIONEER FR-TECH® 70Z HI-VIS SURVEYOR'S VESTS

Sizes: S-4XL

Colors: Hi-Vis Orange, Royal Blue

CGSB 155.20-2017, NFPA 2112-2018 (must be worn with an FR/arc rated sleeved garment) ASTM F1506-2018, NFPA 70E-2018

CSA Z462-2018, ARC 2

Hi-Viz Orange - CSA Z96-15 Class 2 Level 2 & Class 2

Level FR

Royal Blue - CSA Z96-15 Class 1 Level 2 & Class 1

Level FR **J-7732**

\$115



LADIES



RASCO FR WOMEN'S FIELD PANTS

Waist Sizes : 0 - 18 Lengths : 28" - 36"

Colors:

ASTM F1506, NFPA 2112 NFPA 70E-2015, OSHA CSA, HRC 2

RA-FR8403CH

\$85



RASCO FR WOMEN'S HENLEY

Sizes: S - 5XL Colors: Navy, Khaki

ASTM F1506, NFPA 2112 NFPA 70E, CSA Z462 CGSB 155.20, CAT 2

ARC 10 **RA-FR5101**

Without Striping: With Striping:

\$60

\$85



IFR FR ULTRASOFT® 70Z. DELUXE CARGO PANTS

Waist Sizes: 26" - 38" Lengths: 30" - 36" Colors: Navy

NFPA 70E, NFPA 2112, ASTM F1506, OSHA 1910.269, CSA 462, CGSB 155.20 CAT 2, ATPV 8.7

IFR-UPN671

\$90



IFR FR HI-VIS FULL-ZIP WOMEN'S STRIPED FLEECE JACKET

Sizes: XS - 2XL Colors: Hi-Vis Orange

NFPA 2112, NFPA 70E, CSA Z462 ASTM F1506, OSHA 1910.269, CGSB 155.20

CSA Z96-02 Class 2 Level 2 CAT 2

IFR-USO474

\$190



IFR FR HI-VIS ULTRASOFT® WOMEN'S SUIT-ALL

Top Sizes: 34 - 58T Bottom Sizes: 34 - 58 Colors: Royal Blue

NFPA 70E, NFPA 2112, NFPA 1977 ASTM F1506, OSHA 1910.269, ASTM F1002 CGSB 155.20, EN 531, EN 470 CAT 2. ATPV 12.4

IFR-USB151

www.directworkwear.com

© 2021 Direct Workwear Ltd.

Bottom:

Гор:

3120 \$125



IFR FR HI-VIS ULTRASOFT® WOMEN'S SUIT-ALL

Top Sizes: 34 - 58T Bottom Sizes: 34 - 58 Colors: Hi-Vis Orange

NFPA 70E, NFPA 2112 ASTM F1506, OSHA 1910.269 CGSB 155.20, CSA Z96-02 Class 2 Level 2 CAT 2, ATPV 12.4

IFR-US0452, IFR-US0453

Bottom: Top:

§120 \$125



GLOVES



BDG ULTRALIGHT NYLON KNIT GLOVES

Sizes: XS - 2XL (6 - 11) Colors: Black/Blue

Abrasion Resistance Level 3 (Coup Test) Cut Resistance Level 1 Tear Resistance Level 2 Puncture Resistance Level 1 (TDM Cut Test) Cut Resistance Level X ANSI/ISEA 105 – Puncture Level 1

BD-99-1-9865

\$4.50



BDG GOATSKIN GLOVE

Sizes: S-3XL

Colors: Hi-Vis Yellow/Black/White

Premium goatskin grain leather TPR impact guards

Reinforced thumb saddle area Slip-on cuff with shirred elastic wrist

Rolled cuff hem

Impact resistant and abrasion resistant Genuine leather

BD-20-1-1870

\$19.50



BDG HPPE 18 GAUGE CUT RESISTANT GLOVES WITH NPR FOAM COATING

Sizes: XXS - 2XL (5 - 11) Colors: Black/Grev

ANSI 105-2016: Cut A4 EN 388 2016: 4X44D

Grey 18 gauge seamless knit hppe/fiberglass shell Black foam NPR foam palm

Cut resistant

BD-99-1-9772

\$17.50



STOUT ODYSSEY SERIES GLOVES

Sizes: XS - 2XL

Colors: Hi-Vis Yellow/White

ANSI/ISEA 138 Level 2 Impact Protection ANSI A5 Cut Level 5

Puncture Level 3 SG-WOS-112

\$37.50





Sizes: XS - 2XL (6 - 11) Colors: Black/Grey EN 388 2016 4344X

ANSI 2

EN388 Cut Level 4

BD-99-1-9730



BDG CUT/IMPACT RESISTANT HI-VIS TPR BACKHAND GLOVES

Sizes: XS - 2XL

Colors: Blue/Hi-Vis Yellow

ANSI Cut Level A8 ANSI Abrasion Level 6 ANSI Puncture Level 4

ANSI / ISEA 138 ANSI/ISEA 138 Impact Level 2

BD-99-1-9792

\$46.50





JET 10 PIECE VDE TOOL KIT

Individually tested and VDE certified for use on live circuits up to 1,000V Contains most commonly used VDE screwdrivers and pliers760002 Meets IEC 60900:2004 standards

\$215



JET 9 PIECE SCREWDRIVER SET

Electrically shielded tools for use on live circuits and hybrid automobiles Individually tested and VDE certified to 1000V Patented SVCM tool steel is up to 30% stronger than CRV screwdrivers Phosphate plated tips will not chip or peel Meets IEC 60900:2004 standards

760202



SELLSTROM PREMIUM DIELECTRIC EAR MUFF

HPD425 ear muffs offer premium features

and protection
Stylish, modern lightweight design
Dielectric protects you from electric shocks and

Independently tested/certified to NRR 25 (ANSI S3.19) CSA Class A

S23407

\$23.50



ITC 3/4" x 60' ELECTRICAL TAPE

Black tape Operating temperature: -7° C - 80° C CSA Approved

026702

\$1.75





GLOSSARY

Dear Valued Customer:

At Direct Workwear Ltd, safety is our first concern. As a family owned business with three sons in the trades, including a rope access electrician, we want to make sure you get home to your family safely. Our first concern is not whether you purchase from us or not. Having the right products that are properly certified is. Please use this page to check certification for your safety. UL Certified is the gold standard where the whole garment is tested. UL Certified Components should also be reliable and safe. Of note, we are a stocking distributor, which means we have no minimum purchases and no need to enter into a contractual relationship. You can order what you need when you need it, and won't need to guess what sizes you may need for future employees or carry product that becomes unnecessary based on changing circumstances.

ASTM F1506 Certified by UL:

ASTM F1506, 2010A Standard Performance Specification for Flame Resistant and Arc Rated Textile Materials for Wearing Apparel for Use by Electrical Workers Exposed to Momentary Electric Arc and Related Thermal Hazards requires a sample of flame-resistant fabric to self-extinguish with a less than 2 second after flame and a less than 6-inch char length. The FR fabric must also pass these requirements after 25 washes/dry cleaning. Rasco FR garments are certified by Underwriters Laboratories to meet the requirements of ASTM F1506, 2010A.

NFPA 2112-19 Certified by UL:

Rasco FR offers flame resistant protective garments that are certified by Underwriters Laboratories to meet the requirements of NFPA 2112 Standard on Flame Resistant Garments for protection of Industrial \Personnel Against Flash Fire, 2012 Edition. UL has certified that Rasco FR garments are compliant with NFPA 2112 after 100 industrial washes.

CATEGORY 2 / HIGH RISK CATEGORY 2 - CAT2/HRC2:

HRC 2 Arc-rated FR garments with a required minimum ATPC of 8 cal/cm2 as determined by ASTM F1959.

CATEGORY 3 / HIGH RISK CATEGORY 3 - CAT3/HRC3:

HRC 3 Arc-rated FR garments with a required minimum ATPV of 25 cal/cm2 as determined by ASTM F1959.

CATEGORY 4 / HIGH RISK CATEGORY 4 - CAT4/HRC4:

HRC 4 Arc-rated FR garments with a required minimum ATPV of 40 cal/cm2 as determined by ASTM F1959.

ASTM F1959:

Method used for the determination of the arc rating of a material.



Covers the operation and maintenance of electric power generation, control, transformation, transmission and distribution lines and equipment. It states that employers shall ensure that each employee who is exposed to the hazards of flame or electric arc does not wear clothing that, when exposed to flames or electric arcs, could increase the extent of the injury that would be sustained by the employee. Rasco FR garments are compliant with OSHA 1910.269(I)(6)(iii).

CSA Z462:

This standard addresses electrical safety requirements for Canada. The US standard is NFPA 70E which aligns with CSA Z462

NFPA 70E:

Requires employees to wear flame resistant clothing with an ATPV, or cal rating, equal to or greater than the determined arc hazard. Rasco FR garments are marked with an ATPV rating so that they can be worn to meet NFPA 70E standards.

CGSB 155.20:

Meets minimum requirements for protection against hydrocarbon flash fire. Clothing meeting this standard provides a degree of protection reducing the severity of injury in the event of a hydrocarbon flash fire. Unless defined, garments under this standard are rated for 50 home washings.

ATPV:

Arc Thermal Performance Value. An ATPV is the incident energy on a material or system that results in a 50% probability to cause the onset of a second-degree burn. This value is expressed as a single number in calories/cm2. Ratings are based upon the total weight of the fabric.

What is an ARC FLASH?

An arc flash occurs when an electric current passes through air between ungrounded and grounded conductors, causing temperatures to reach up to 35,000° F. Exposure to these extreme temperatures burns the skin directly and also causes ignition of clothing, which worsens the injury. The majority of hospital admissions due to electrical accidents are from arc flash burns, not from electric shock.

Please Note:

Do not wear untreated cotton. An Arc Flash may ignite any cotton worn, especially against the skin. All tests are performed under laboratory conditions. The garments worn should be clean and in good repair for maximum protection.



IN-HOUSE SERVICES

Did you know?

We do embroidery, laser etching, stickers, after market striping, small alterations, and hemming right in our store!

Embroidery Services


Direct Workwear currently has state of the art embroidery machines. We love being able to offer this service to our customers right from our own store. We can embroider almost everything we sell, as well as adding personalized crests and badges to garments. Direct Workwear also offers Fire Resistant Nomex thread to meet FR requirements. Whether you need to label your work clothes, brand your employees' gear, or get a perfectly unique gift, our embroidery department can help. Phone us in store or email emb@directworkwear.com to get more information about our custom embroidery services.

After Market Customization

Our knowledgeable seamstress can hem your coveralls and pants to your requested length, customize your workwear with hi-vis striping, and get your outfit ready to be worn comfortably at the jobsite. This quick and affordable service is one we're sure you will love!

Stickers NEW!

We now offer stickers! Check out our website to find a large selection of designs. Custom stickers are also available upon request.







120-9401 Franklin Ave, Fort McMurray AB
OPEN 7 DAYS A WEEK

FOR MORE INFORMATION EMAIL: PAT@DIRECTWORKWEAR.COM

CALL 587-275-4733 TOLL FREE 1-855-475-4733



5361 Gateway BLVD, Edmonton AB

OPEN 7 DAYS A WEEK

FOR MORE INFORMATION EMAIL: STACY@DIRECTWORKWEAR.COM

CALL 780-988-2967 TOLL FREE 1-800-661-9647

CHOOSE MASSIVE INVENTORY, EXCELLENT SERVICE AND UNBELIEVABLE PRICES AT

www.directworkwear.com